

Total Lifting Solutions





This is to Certify that

MECHATRONICS ENGINEERS

E-402, Arihant Township, Nr. State Bank of India, Killa-Pardi, Dist. Valsad - 394125, Gujarat, India

has been found in Compliance with requirements of Quality Management System

ISO 9001:2015

or the following scope:

Supply of Signal Girder Cranes, Double Girder Crane, Under oth Crane, Gantry Crane, Jib Crane, Wire Rope Holst, Chain Goods Lift & Winch Machine, Floor Crane.

\$/018909/1020

obse-2020 er-2020

202

Author System
Quality Control Certification

SK SRipe: 1925 Characteris Roote. Transcome Frant, Trans-FB-6004, Corneal, UK India SRipe: (Ind Files, Areas-Market, Executions) (India) (India) (India)





Single Girder Overhead Cranes

Double Girder Overhead Cranes

Floor Traveling Cranes

Goods Lifts

Gantry Cranes / Goliath Cranes

Jib Cranes

Underslung Cranes

Wire Rope Hoists / Chain Electric Hoists

Electrical Winches / Electrical Platform Trolleys &

All Types of Flame Proof & Non Flame Proof Accessories for

Overhead Cranes & Goods Lifts

We MECHATRONICS ENGINEERS (An ISO 9001:2015 Certified Company) are one of the fastest growing and amongst the most trusted companies in India. The company has already made its mark by delivering round the year, 24x7 after sales support and solution. Moreover, we strive to raise the benchmark with every opportunity. Our assets include committed manpower, finest technology and honest work principles.

RANGE OF PRODUCTS



Single Girder Overhead Cranes

Type: Beam Type & Box Type

Capacity: 1.0 Ton to 10.0 Ton

Span: 3.0 Mtrs. to 25.0 Mtrs.

Lift: 6.0 Mtrs. to 15.0 Mtrs.

Double Girder Overhead Cranes

Type: Beam Type & Box Type

Capacity: 5.0 Ton to 50.0 Ton

Span: 5.0 Mtrs. to 40.0 Mtrs.

Lift: 6.0 Mtrs. to 30.0 Mtrs.



• MECHATROMES SW. DVI

Floor Traveling Cranes

Type: Beam Type & Box Type

Capacity: 5.0 Ton to 50.0 Ton

Span: 5.0 Mtrs. to 30.0 Mtrs.

Tripple Trolly Carage.







Goods Lifts

Type: Cage Type & Platform Type

Capacity: 0.5 Ton to 5.0 Ton

Span: Ground + up to 5 Floor

Application: Indoor & Outdoor



Gantry Cranes / Goliath Cranes

Type: Single Grinder & Double Girder

Capacity: 5.0 Ton to 20.0 Ton

Span: 10.0 Mtrs. to 30.0 Mtrs.

Lift: 6.0 Mtrs. to 15.0 Mtrs.

Pillar mounted Jib Crane

Capacity: 1.0 Ton to 5.0 Ton

Arm Length: 3.0 Mtrs. to 5.0 Mtrs.

Lift: 3.0 Mtrs. to 9.0 Mtrs.

Rotation: 0*-180* & 0*-360*

Operation: Manual & Motorized



Wall mounted Jib Crane



Wire Rope Hoists



Electrical Winches





Underslung Crane



Electrical Platform Trolleys



S P A R E P A R T S





Gala No, 28, Royal Landmark Industrial Hub, Valvada-Vapi Road, Vapi 396 105, Dist, Valsad

ADMIN OFFICE:

R,H, 23, Shivam Residency & Villa, Poniya - Station Rd., Poniya, Killa-Pardi, Dist, Valsad - 396 125, Gujarat (India)

Contact Details
Er. NAINESH MISTRY

Mo.: +91 84696 79626 +91 98256 79626

info@mechatronicsengrs.com www.mechatronicsengrs.com GSTIN No.: 24ASCPM0345A1ZI